



# THE VICTORIAN 4

## SIZE CHART



### RA 4460

SECTIONS ADDED	TOTAL LENGTH	BTUs @ $\Delta T_{60}$	WATTS @ $\Delta T_{60}$
1		415	121.6
2		830	243.3
3		1245	364.9
4	276mm	1660	486.5
5	337mm	2075	608.2
6	398mm	2490	729.8
7	459mm	2905	851.4
8	520mm	3320	973
9	581mm	3735	1094.7
10	642mm	4150	1216.3
11	703mm	4565	1337.9
12	764mm	4980	1459.6
13	825mm	5395	1581.1
14	886mm	5810	1702.8
15	947mm	6225	1824.4
16	1008mm	6640	1946.1
17	1069mm	7055	2067.7
18	1130mm	7470	2189.3
19	1191mm	7885	2310.9
20	1252mm	8300	2432.6

# B

## Beaumont cast iron




### RA 4645

SECTIONS ADDED	TOTAL LENGTH	BTUs @ $\Delta T60$	WATTS @ $\Delta T60$
1		554	162.4
2		1108	324.8
3		1662	487.1
4	276mm	2216	649.4
5	337mm	2770	811.8
6	398mm	3324	974.2
7	459mm	3878	1136.5
8	520mm	4432	1298.9
9	581mm	4986	1461.3
10	642mm	5540	1623.6
11	703mm	6094	1786
12	764mm	6648	1948.4
13	825mm	7202	2110.7
14	886mm	7756	2273.1
15	947mm	8310	2435.5
16	1008mm	8864	2597.8
17	1069mm	9418	2760.2
18	1130mm	9972	2922.6
19	1191mm	10526	3084.9
20	1252mm	11080	3247.3

# B

## Beaumont cast iron



### RA 4760

SECTIONS ADDED	TOTAL LENGTH	BTUs @ $\Delta T60$	WATTS @ $\Delta T60$
<b>1</b>		612	179.3
<b>2</b>		1224	358.7
<b>3</b>	215mm	1836	538.1
<b>4</b>	276mm	2448	717.5
<b>5</b>	337mm	3060	896.8
<b>6</b>	398mm	3672	1076.2
<b>7</b>	459mm	4284	1255.6
<b>8</b>	520mm	4896	1434.9
<b>9</b>	581mm	5508	1614.3
<b>10</b>	642mm	6120	1793.7
<b>11</b>	703mm	6732	1973
<b>12</b>	764mm	7344	2152.4
<b>13</b>	825mm	7956	2331.7
<b>14</b>	886mm	8568	2511.1
<b>15</b>	947mm	9180	2690.5
<b>16</b>	1008mm	9792	2869.8
<b>17</b>	1069mm	10404	3049.2
<b>18</b>	1130mm	11016	3228.6
<b>19</b>	1191mm	11628	3408
<b>20</b>	1252mm	12240	3587.3

## OVERVIEW



The Beaumont VICTORIAN 4 is one of our most popular designs. Sometimes known as the “school radiator,” its design and production in the 19<sup>th</sup> and 20<sup>th</sup> century endured for decades. The VICTORIAN 4 is suited to a variety of property designs and interior settings.

All Beaumont cast iron radiators are carefully hand built to your own required BTUS and fully assembled ready for plumbing into your new or existing pipework.

The VICTORIAN 4 can be finished in a variety of colours – metallic, Farrow & Ball range, RAL colours or primed for onsite painting.

Because each radiator section is specially hand cast there may be a slight variation in the length of each radiator once built (end bush to end bush), please allow for this in your pipework fitting.

DEPTH OF SECTION FROM SKIRTING BOARD = 71MM

SECTION WIDTH = 61MM

WEIGHT = 4KG/5KG/6KG